Printing date 03/24/2015 Version No. 3 Reviewed on 03/24/2015

1 Identification

· Trade name: UZIN NC 888

· Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

- · Application of the substance / the mixture Turbo Patching Compound
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Manufacturer: UZIN UTZ AG Dieselstrasse 3 D-89079 Ulm Germany

Tel.: +49 (0)731 4097-0 *Fax*: +49 (0)731 4097-110

Supplier:

UFLOOR Systems Inc.

14509 E. 33rd. Place, Unit G

Aurora, CO 80011 Phone: +720-374-4810 Toll-Free: +1 866-505-4810 Fax: +1 720-374-2113

· Information department:

Product safety department email: msds.info@uzin-utz.com

· Emergency telephone number:

For Chemical Emergency Spill Leak Fire Exposure or Accident Call CHEMTREC Day or Night: DOMESTIC NORTH AMERICA 800-424-9300

International, call +49 621 60 43 333

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.

· Information concerning particular hazards for human and environment:

The product has to be labeled due to the calculation procedure of international guidelines.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS05
- · Signal word Danger
- $\cdot \textit{Hazard-determining components of labeling:}$

Portland cement

· Hazard statements

Causes serious eye damage.

· Precautionary statements

Keep out of reach of children.

Avoid breathing dust.

Wear protective gloves / eye protection.

If on skin: Wash with plenty of soap and water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

Printing date 03/24/2015 Version No. 3 Reviewed on 03/24/2015

Trade name: UZIN NC 888

(Contd. of page 1)

If eye irritation persists: Get medical advice/attention.

· NFPA ratings (scale 0 - 4)



Health = 2Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



2 Health = 2 Fire = 0

· Other hazards

NFPA Rating Scale: 0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe.

NFPA is the National Fire Protection Association.

HMIS Rating Scale: 0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe.

HMIS®, the Hazardous Materials Identification System, is a registered mark of the National Paint and Coatings Association (NPCA).

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

65997-15-1 Portland cement

5 - <10%

🗶 Xi R37/38-41

📀 Eye Dam. 1, H318; 🕦 Skin Irrit. 2, H315; STOT SE 3, H335

• Additional information: For the wording of the listed risk phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO₂ extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

Trade name: UZIN NC 888

(Contd. of page 2)

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear dust mask.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Prevent formation of dust.

Wear suitable protective clothing, gloves and eye/face protection.

Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Store in dry conditions.

Protect from humidity and water.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

65997-15-1 Portland cement

PEL Long-term value: 50 mppcf or 15*5** mg/m³

*total dust **respirable fraction

REL Long-term value: 10*5** mg/m³

*total dust **respirable fraction

TLV Long-term value: 1* mg/m³

E; *as respirable fraction

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Prevent formation of dust.

Wear suitable protective clothing, gloves and eye/face protection.

Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

· Breathing equipment:

Not required.

When mixing wear suitable NIOSH-approved dust respirator.

(Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/24/2015 Version No. 3 Reviewed on 03/24/2015

Trade name: UZIN NC 888

· Protection of hands:



Use nitrile impregnated cotton-gloves

- · Material of gloves Nitrile impregnated cotton-gloves
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

· Information on basic physical and chemical properties · General Information	
Appearance:	
Form:	Solid
Color:	Grey
Odor:	Light
Odour threshold:	Not determined.
pH-value at 20 °C (68 °F):	11
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not determined.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not applicable.
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Insoluble.
	Sets with water.
Partition coefficient (n-octanol/wat	t er): Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Other information	No further relevant information available.

Trade name: UZIN NC 888

(Contd. of page 4)

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Specific symptoms in biological assay:
- · Primary route(s) of entry: Inhalation, skin contact, eye contact.
- · Primary irritant effect:
- · on the skin: Slightly irritant effect may occur.
- · on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization:

No sensitizing effects known.

Low in Chromate (< 2 ppm) acc. Regulation (EC) No 1907/2006 (REACH).

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Do not allow product to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

LISA

Trade name: UZIN NC 888

(Contd. of page 5)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Do not allow product to reach sewage system.

Mix product residues with water, allow to harden, then dispose of as construction waste.

- · Uncleaned packagings:
- · Recommendation: Empty paper packaging is recyclable.

14 Transport information

- · DOT, ADR, ADN, IMDG, IATA Void
- · UN proper shipping name
- · DOT, ADR, ADN, IMDG, IATA Void
- · DOT, ADN, IMDG, IATA
- · Class Void · DOT, IMDG, IATA Void
- · Environmental hazards:
- · Marine pollutant: No
- · **Special precautions for user** Not applicable.
- · Transport/Additional information: Not regulated as hazardous material according to the above specifications.
- · UN "Model Regulation":

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · SARA (Superfund Amendments and Reauthorization Act)
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 7)

Printing date 03/24/2015 Version No. 3 Reviewed on 03/24/2015

Trade name: UZIN NC 888

(Contd. of page 6)

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS05
- · Signal word Danger

· Hazard-determining components of labeling:

Portland cement

· Hazard statements

Causes serious eye damage.

· Precautionary statements

Keep out of reach of children.

Avoid breathing dust.

Wear protective gloves / eye protection.

If on skin: Wash with plenty of soap and water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety department

· Contact:

USA: Daniel Gill, phone + 1 720-374-4810 Germany: Dr. Zieger, phone +49 731.409.7207

· Date of preparation / last revision 03/24/2015 / 2

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

· * Data compared to the previous version altered.

LISA