

# Safety Data Sheet MAPECEM 202 PART B

Safety Data Sheet dated: 8/10/2017 - version 3

Date of first edition: 5/18/2015

#### 1. IDENTIFICATION

#### **Product identifier**

Mixture identification:

Trade name: MAPECEM 202 PART B

Recommended use of the chemical and restrictions on use

Recommended use: ES00088 Restrictions on use: N.A.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico) 1144 East Newport Center Drive 33442 - Deerfield Beach - FL - USA

Phone: 954-246-8888

Emergency 24 hour numbers:

(USA) CHEMTREC 1-800-424-9300 (Canada) CANUTEC 1-613-996-6666

# 2. HAZARD(S) IDENTIFICATION

#### Classification of the chemical

The product is not classified as hazardous according to OSHA Hazard Communication Standard (29 CFR

1910.1200).

#### **Label elements**

The product is not classified as hazardous according to OSHA Hazard Communication Standard (29 CFR 1910.1200).

## Ingredient(s) with unknown acute toxicity:

None

Hazards not otherwise classified identified during the classification process:

None

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

# **Substances**

N.A.

# Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

#### List of components

Quantity Name Ident. Numb. Classification

0.49-1 % Ethylene glycol CAS:107-21-1 Acute Tox. 4, H302; STOT RE 2, H373; Eye Irrit. 2B, H320; STOT

SE 2, H371

# 4. FIRST AID MEASURES

#### Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

# Most important symptoms/effects, acute and delayed

Date 6/30/2020 Production Name MAPECEM 202 PART B Page n. 1 of 7

#### 5. FIRE-FIGHTING MEASURES

#### **Extinguishing media**

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

#### Unsuitable extinguishing media:

None in particular.

# Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke. Hazardous combustion products: N.A.

Explosive properties: N.A. Oxidizing properties: N.A.

## Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **6. ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

#### Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

#### 7. HANDLING AND STORAGE

## Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

## Conditions for safe storage, including any incompatibilities

Storage temperature: N.A. Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Control parameters**

# List of components with OEL value

Component	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term 3 ppm	Short Term mg/m3	Term	Behaviour	Note
Ethylene glycol	ACGIH		С			100			
	EU			52	20	104	40	Indicative	Possibility of significant uptake through the skin;

Appropriate engineering controls: N.A.

# Individual protection measures

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Date 6/30/2020 Production Name MAPECEM 202 PART B Page n. 2 of 7

N.A.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: 4,50011, white

Odour: latex like Odour threshold: N.A.

pH: 7.00

Melting point / freezing point: N.A.
Initial boiling point and boiling range: N.A.

Flash point: >100 °C (212 °F) Evaporation rate: Same as water

Upper/lower flammability or explosive limits: N.A.

Vapour density: N.A.
Vapour pressure: N.A.
Relative density: 1.03 g/cm3
Solubility in water: dispersible

Solubility in oil: N.A.

Partition coefficient (n-octanol/water): N.A.

Auto-ignition temperature: N.A. Decomposition temperature: N.A.

Viscosity: N.A.

Explosive properties: N.A.
Oxidizing properties: N.A.
Solid/gas flammability: N.A.

#### Other information

Substance Groups relevant properties N.A.

Miscibility: N.A. Fat Solubility: N.A. Conductivity: N.A.

## 10. STABILITY AND REACTIVITY

## Reactivity

Stable under normal conditions

# **Chemical stability**

Data not available.

#### Possibility of hazardous reactions

None.

# **Conditions to avoid**

Stable under normal conditions.

#### **Incompatible materials**

None in particular.

# **Hazardous decomposition products**

None.

#### 11. TOXICOLOGICAL INFORMATION

# Information on toxicological effects

# Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

## Toxicological information on main components of the mixture:

Ethylene glycol a) acute toxicity LD50 Oral Rat = 4000 mg/kg

LD50 Skin Rat = 10600 mg/kg

#### If not differently specified, the information required in the regulation and listed below must be considered as N.A.

a) acute toxicity

Date 6/30/2020 Production Name MAPECEM 202 PART B Page n. 3 of 7

- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure
- i) STOT-repeated exposure
- j) aspiration hazard

#### Substance(s) listed on the IARC Monographs:

None

#### Substance(s) listed as OSHA Carcinogen(s):

None

#### Substance(s) listed as NIOSH Carcinogen(s):

None

#### Substance(s) listed on the NTP report on Carcinogens:

None

#### 12. ECOLOGICAL INFORMATION

#### **Toxicity**

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

# List of components with eco-toxicological properties

Component

#### Ident. Numb.

raciici italii

#### **Ecotox Infos**

Ethylene glycol CAS: 107-21-1

a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss = 41000 mg/L 96h IUCLID

a) Aquatic acute toxicity: LC50 Fish Oncorhynchus mykiss 14 mL/L 96h EPA a) Aquatic acute toxicity: LC50 Fish Lepomis macrochirus = 27540 mg/L 96h FPA

a) Aquatic acute toxicity : LC50 Fish Pimephales promelas 40000 mg/L 96h EPA  $\,$ 

a) Aquatic acute toxicity : LC50 Fish Poecilia reticulata = 16000 mg/L 96h IUCLID

a) Aquatic acute toxicity: EC50 Daphnia Daphnia magna = 46300 mg/L 48h

a) Aquatic acute toxicity : EC50 Algae Pseudokirchneriella subcapitata 6500 mg/L 96h IUCLID

# Persistence and degradability

N.A.

# **Bioaccumulative potential**

N.A.

# Mobility in soil

N.A.

#### Other adverse effects

N.A.

# 13. DISPOSAL CONSIDERATIONS

## **Waste treatment methods**

Waste must be handled in accordance with all federal, state, provincial, and local regulations. Consult authorities before disposal.

# 14. TRANSPORT INFORMATION

#### **UN** number

Date 6/30/2020 Production Name MAPECEM 202 PART B Page n. 4 of 7

ADR-UN number: N/A DOT-UN Number: N/A IATA-Un number: N/A IMDG-Un number: N/A

## UN proper shipping name

ADR-Shipping Name: N/A
DOT-Proper Shipping Name: N/A
IATA-Technical name: N/A
IMDG-Technical name: N/A

#### Transport hazard class(es)

ADR-Class: N/A DOT-Hazard Class: N/A IATA-Class: N/A IMDG-Class: N/A

#### **Packing group**

ADR-Packing Group: N/A DOT-Packing group: N/A IATA-Packing group: N/A IMDG-Packing group: N/A

#### **Environmental hazards**

Marine pollutant: No

Environmental Pollutant: N.A.

# Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N.A.

#### **Special precautions**

 $\label{eq:decomposition} \mbox{Department of Transportation (DOT):}$ 

DOT-Special Provision(s): N/A

DOT-Label(s): N/A
DOT-Symbol: N/A
DOT-Cargo Aircraft: N/A
DOT-Passenger Aircraft: N/A

DOT-Bulk: N/A
DOT-Non-Bulk: N/A
Road and Rail ( ADR-RID ):
ADR-Label: N/A

ADK-Label. N/A

ADR-Hazard identification number: N/A

ADR-Transport category (Tunnel restriction code): N/A

# Air ( IATA ):

IATA-Passenger Aircraft: N/A
IATA-Cargo Aircraft: N/A
IATA-Label: N/A

IATA-Label: N/A IATA-Sub Risk: N/A IATA-Erg: N/A

IATA-Special Provisioning: N/A

#### Sea (IMDG):

IMDG-Stowage Code: N/A IMDG-Stowage Note: N/A IMDG-Sub Risk: N/A

IMDG-Special Provisioning: N/A

IMDG-Page: N/A IMDG-Label: N/A IMDG-EMS: N/A IMDG-MFAG: N/A

# 15. REGULATORY INFORMATION

# **USA - Federal regulations**

## **TSCA - Toxic Substances Control Act**

**TSCA** inventory:

All the components are listed on the TSCA inventory

**TSCA listed substances:** 

Date 6/30/2020 Production Name MAPECEM 202 PART B Page n. 5 of 7

Ethylene glycol

is listed in TSCA Section 8b Section 5

## **SARA - Superfund Amendments and Reauthorization Act**

**Section 302 - Extremely Hazardous Substances:** 

No substances listed

Section 304 - Hazardous substances:

Ethylene glycol

Section 313 - Toxic chemical list:

Ethylene glycol

# CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

Substance(s) listed under CERCLA:

Ethylene glycol Reportable quantity: 5000 pounds

CAA - Clean Air Act

**CAA listed substances:** 

Ethylene glycol is listed in CAA Section 112(b) - HAP Section 112(b) - HON

CWA - Clean Water Act

**CWA listed substances:** 

No substances listed

# **USA - State specific regulations**

# **California Proposition 65**

Substance(s) listed under California Proposition 65:

Ethylene glycol Listed as reproductive toxicant

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

Ethylene glycol

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

Ethylene glycol

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

Ethylene glycol

# **Canada - Federal regulations**

## **DSL - Domestic Substances List**

**DSL Inventory:** 

All the substances are listed in the DSL.

#### **NDSL - Non Domestic Substances List**

**NDSL Inventory:** 

No substances listed

#### **NPRI - National Pollutant Release Inventory**

Substances listed in NPRI:

No substances listed

# **16. OTHER INFORMATION**

	Code	Description		
	H302	Harmful if swallowed.		
	H320	Causes eye irritation.		
	H371	May cause damage to organs.		
	H373	May cause damage to organs through prolonged or repeated exposure.		
Safety Data Sheet dated: 8/10/2017 - version 3				

Product code: 2179

Additional classification information

Date 6/30/2020 Production Name MAPECEM 202 PART B Page n. 6 of 7



HMIS Health: 0 = Minimal

HMIS Health - Is health hazard chronic? No HMIS Flammability: 1 = Combustible if heated

HMIS Reactivity: 0 = Minimal HMIS P.P.E.: Safety glasses, gloves

NFPA Health: 0 = Minimal

NFPA Flammability: 1 = Combustible if heated

NFPA Reactivity: 0 = Minimal NFPA Special Risk: NONE

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

## Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany. LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. WGK: German Water Hazard Class.

KSt: Explosion coefficient.

\* Sheet model entirely changed in compliance to regulatory update.

Date 6/30/2020 Production Name MAPECEM 202 PART B Page n. 7 of 7