

# TEC 713 CLEAR THIN SPREAD AD 828419PM

### SAFETY DATA SHEET

REVISION DATE: 02-25-2015 SUPERSEDES: 04-16-2013

### SECTION 1: IDENTIFICATION OF THE PRODUCT AND SUPPLIER

### PRODUCT INFORMATION

PRODUCT: TEC 713 CLEAR THIN SPREAD AD

PRODUCT DESCRIPTION: Mastic
INTENDED USE: Adhesive
PRODUCT IDENTIFIER: 828419PM

### **COMPANY INFORMATION**

H.B. Fuller Construction Products Inc.

1105 S. Frontenac Street Aurora, IL 60504

Phone: 1-800-552-6225

Medical Emergency Phone Number (24 Hours): 1-888-853-1758 Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

### **SECTION 2: HAZARDS IDENTIFICATION**

### **GHS Hazard Symbols:**



GHS Signal Word: Warning

GHS Classification: Skin Sensitisation Category 1; Serious Eye Damage/Eye Irritation Category 2

**GHS Hazard Phrases:** May cause an allergic skin reaction.; Causes serious eye irritation.

**GHS Precautions:** 

**Safety Precautions:** Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace. Wear

protective gloves/protective clothing/eye protection/face protection.

First Aid Measures: IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with

water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse.

**Disposal:** Dispose of contents/container in accordance with local/regional/national/international

regulation for hazardous wastes.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name                 | CAS#        | PERCENT | Classification          | Note          |
|-------------------------------|-------------|---------|-------------------------|---------------|
| Feldspar group minerals       | 68476-25-5  | 10 - 30 | Eye Irrit. 2; H319      |               |
|                               |             |         | STOT SE 3; H335         |               |
| Crystalline silica            | 14808-60-7  | 1 - 5   | Carc. 1A; H350          | * (see below) |
|                               |             |         | STOT RE 1; H372         |               |
| Rosin, pentaerythritol ester  | 8050-26-8   | 1 - 5   | Aquatic Chronic 4; H413 |               |
|                               |             |         | Eye Irrit. 2A; H319     |               |
|                               |             |         | Skin Sens. 1; H317      |               |
| Polyacrylic acid, sodium salt | 9003-04-7   | 1 - 5   | Eye Irrit. 2; H319      |               |
| Modified rosin ester          | Proprietary | 1 - 5   | Eye Irrit. 2; H319      |               |
|                               |             |         | Skin Sens. 1; H317      |               |

## TEC 713 CLEAR THIN SPREAD AD 828419PM

SAFETY DATA SHEET

## \*This product contains one or more materials that may be hazardous when present as an airborne dust. During

normal handling of the product, the material is encapsulated within the product and will not present an exposure risk. Once the product has reached its final state and is abraded or disturbed, dusting and exposure may occur.

Unlisted ingredients are not 'hazardous' per the Occupational Safety and Health Administration Hazard Communication Standard (29 CFR 1910.1200) and/or are not found on the Canadian Workplace Hazardous Materials Information System ingredient disclosure list. See Section 8 for exposure limit guidelines.

### **SECTION 4: FIRST AID MEASURES**

IF IN EYES: None expected to be needed, however, use an eye wash to remove a chemical from your eye regardless of the level of hazard.

IF ON SKIN: Wash with soap and water.

IF INHALED: Remove to fresh air. Call a physician if symptoms persist.

IF SWALLOWED: Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care

provider with this MSDS.

### **SECTION 5: FIRE FIGHTING MEASURES**

EXTINGUISHING MEDIA: Use water spray, foam, dry chemical or carbon dioxide.

UNUSUAL FIRE AND EXPLOSION HAZARDS: There is a possibility of pressure buildup in closed containers

when heated. Water spray may be used to cool the containers. SPECIAL FIRE FIGHTING INSTRUCTIONS:

Persons exposed to products of combustion should wear self-

contained breathing apparatus and full protective equipment.

Carbon dioxide, Carbon monoxide Nitrogen containing gases

HAZARDOUS COMBUSTION PRODUCTS:

### SECTION 6: ACCIDENTAL RELEASE MEASURES

SPECIAL PROTECTION: No health effects expected from the cleanup of this material if contact

can be avoided. Follow personal protective equipment recommendations

found in Section 8 of this MSDS.

METHODS FOR CLEAN-UP: Dike if necessary, contain spill with inert absorbent and transfer to

containers for disposal. Keep spilled product out of sewers, watersheds,

or water systems.

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

### **SECTION 7: HANDLING AND STORAGE**

Handling: Avoid unnecessary exposure.

Storage: Store in a cool, dry place. Protect from freezing Consult the Technical Data Sheet for specific storage instructions.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### **EXPOSURE LIMITS:**

| Chemical Name      | Note   | ACGIH EXPOSURE LIMITS                 | OSHA PEL                               |
|--------------------|--------|---------------------------------------|--|
| Mineral oil        |        | No data available.                    | 5 mg/m3 TWA (as mist)                  |
|                    |        |                                       |  |
| Crystalline silica | * (see | 0.025 mg/m3 TWA (respirable fraction) | ((250)/(%SiO2 + 5) mppcf TWA           |
|                    | below) |                                       | (respirable)); ((10)/(%SiO2 + 2) mg/m3 |

## TEC 713 CLEAR THIN SPREAD AD 828419PM

SAFETY DATA SHEET

|                | <br>  |  |
|----------------|---|--|
|                |   | TWA (respirable)); ((30)/(%SiO2 + 2) mg/m3 TWA (total dust)) |
| Methyl alcohol | 200 ppm TWA 250 ppm STEL Skin absorption may potentially contribute to the overall exposure to this material. | 200 ppm TWA; 260 mg/m3 TWA                                   |

<sup>\*</sup>This product contains one or more materials that may be hazardous when present as an airborne dust. During normal handling of the product, the material is encapsulated within the product and will not present an exposure risk. Once the product has reached its final state and is abraded or disturbed, dusting and exposure may occur.

### **ENGINEERING CONTROL METHODS:**

VENTILATION: Use local exhaust ventilation or other engineering controls to

minimize exposures.

EYE PROTECTION: Wear safety glasses when handling this product.

SKIN PROTECTION: Not normally considered a skin hazard. Where use can result in skin

contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and

when leaving work.

GLOVES: Nitrile

RESPIRATORY PROTECTION: Respiratory protection may be required to avoid overexposure when

handling this product. Use a respirator if general room ventilation is

not available or sufficient to eliminate symptoms.

Respirators should be selected by and used following requirements

found in OSHA's respirator standard (29 CFR 1910.134).

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

PHYSICAL STATE: Semi-solid
COLOR: Tan
ODOR: Odorless
ODOR THRESHOLD: Not established

oH: 9.9

FREEZING/MELTING POINT (deg. C):

Not established
BOILING POINT (deg. C):

Not established

FLASH POINT: Non flammable > 204 C (400 F) COC

EVAPORATION RATE: Not established

FLAMMABILITY: Not a flammable solid or gas

UPPER EXPLOSIVE LIMIT (% in air):

LOWER EXPLOSIVE LIMIT (% in air):

VAPOR PRESSURE (mm Hg):

VAPOR DENSITY:

Not established

Not established

WEIGHT PER GALLON (lbs.): 9.70 SPECIFIC GRAVITY: 1.160

SOLUBILITY:
OCTANOL/WATER COEFFICIENT:
Not established
AUTOIGNITION TEMPERATURE:
Not established
DECOMPOSITION TEMPERATURE:
VISCOSITY:
No data available.

SOLIDS (% by weight): 59.5 VOC, weight percent 0.00

# TEC 713 CLEAR THIN SPREAD AD 828419PM

### **SAFETY DATA SHEET**

### **SECTION 10: STABILITY AND REACTIVITY**

STABILITY: Stable under normal conditions.

CHEMICAL INCOMPATIBILITY: Not established HAZARDOUS POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide Nitrogen

containing gases

### **SECTION 11: TOXICOLOGICAL INFORMATION**

**Component Toxicity / Toxicology Data:** 

| COMPONENT NAME     | LD50/LC50               |
|--------------------|-------------------------|
| Crystalline silica | ORAL LD50 RAT 500 MG/KG |

### This product is a mixture. Unless noted, the information below is based on components.

Skin corrosion / irritation: No irritation hazard in normal industrial use.

Serious eye damage / irritation :No irritation hazard in normal industrial use.

Respiratory / skin sensitization: May cause an allergic skin reaction.

Germ cell mutagenicity: No data available.

Carcinogenicity: Contains a material that may cause cancer.

Reproductive toxicity: Contains a substance that is a possible reproductive hazard based on animal studies.

Specific target organ toxicity-single exposure: No data available.

Respiratory irritation / Narcotic effects: May cause respiratory irritation.

Specific target organ toxicity-repeated exposure: No data available.

Target organs potentially affected by exposure: Lungs Eyes Central nervous system

Aspiration hazard: No data available.

Medical Conditions Aggravated by Exposure: Lung disease, Eye disease

### **SECTION 12: ECOLOGICAL INFORMATION**

OVERVIEW: No ecological information available for this product.

MOBILITY: No data available.
PERSISTENCE: No data available.
BIOACCUMULATION: No data available.

### This product has not been tested for ecological effects. Relevant information for components is listed below:

| Component:         | Ecotoxicity values:       |
|--------------------|---------------------------|
| No data available. | Acute Toxicity (Fish):    |
|                    | Acute Toxicity (Daphnia): |
|                    | Acute Toxicity (Algae):   |

### **SECTION 13: DISPOSAL CONSIDERATIONS**

To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Solidify and dispose of in an approved landfill. Consult state, local or provincial authorities for more restrictive requirements.

LAND DISPOSAL RESTRICTIONS: Methanol

## TEC 713 CLEAR THIN SPREAD AD 828419PM

SAFETY DATA SHEET

## SECTION 14: TRANSPORT INFORMATION

Consult Bill of Lading for transportation information.

US DOT: NOT REGULATED NOT REGULATED IMDG: NOT REGULATED

### **SECTION 15: REGULATORY INFORMATION**

### **INVENTORY STATUS**

U.S. EPA TSCA: This product is in compliance with the Toxic Substances Control Act's

Inventory requirements.

CANADIAN CEPA DSL: This product contains a component that is not on the DSL. If you are

the importer of this product into Canada, contact H.B. Fuller for

chemical tracking and notification information.

EUROPEAN REACH: As a result of the introduction of REACH into Europe, this product

cannot be imported into Europe unless the REACH requirements are

met.

AUSTRALIA AICS: This product contains a component that is not on the Australian

Inventory (AICS).

If you need more information about the inventory status of this product call 651-236-5858.

This product may contain chemical substances that are regulated for export by various government agencies (such as the Environmental Protection Agency, the Bureau of Industry and Security, or the Drug Enforcement Administration, among others). Before exporting this product from the USA or Canada, we recommend you contact us at reg.request@hbfuller.com to request an export review.

### FEDERAL REPORTING

### EPA SARA Title III Section 313

Unless listed below, this product does not contain toxic chemical(s) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR part 372. EPA has advised that when a percentage range is listed the midpoint may be used to fulfill reporting obligations.

| Chemical Name | CAS#    | %       |
|---------------|---------|---------|
| Methanol      | 67-56-1 | 0.1 - 1 |

WHMIS STATUS: Unless listed below, this product is not controlled under the Canadian Workplace Hazardous Materials Information System.

D2A D2B

### STATE REPORTING

Proposition 65, The Safe Drinking Water and Toxic Enforcement Act of 1986:

Unless listed below, this product does not contain known levels of any chemical known to the State of California to cause cancer or reproductive harm.

| Chemical Name/List  |                           | CAS        | Percent  |
|---------------------|---------------------------|------------|----------|
| Quartz              | (Carcinogen)              | 14808-60-7 | 1 - 5    |
| Ethyl acrylate      | (Carcinogen)              | 140-88-5   | < 10 ppm |
| Acrylamide          | (Carcinogen)              | 79-06-1    | < 10 ppm |
| Naphthalene         | (Carcinogen)              | 91-20-3    | < 10 ppm |
| C.I. Direct blue 15 | (Carcinogen)              | 2429-74-5  | < 10 ppm |
| Acetaldehyde        | (Carcinogen)              | 75-07-0    | < 10 ppm |
| 1,4-Dioxane         | (Carcinogen)              | 123-91-1   | < 10 ppm |
| Methanol            | (Developmental toxin)     | 67-56-1    | 0.1 - 1  |
| Acrylamide          | (Developmental toxin)     | 79-06-1    | < 10 ppm |
| Acrylamide          | (Male reproductive toxin) | 79-06-1    | < 10 ppm |



# TEC 713 CLEAR THIN SPREAD AD 828419PM

### SAFETY DATA SHEET

### **Substances of Very High Concern (SVHC) Content:**

Unless listed below, this product does not contain SVHC's. 4-Nonylphenol, ethoxylated

### **SECTION 16: OTHER INFORMATION**

SDS VERSION DATE: 02-25-2015

This Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Workplace Hazardous Materials Information System (WHMIS).

HMIS RATING: HEALTH -- 1 FLAMMABILITY -- 0 REACTIVITY -- 0

See SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for personal protective equipment recommendations.

Prepared by: The Global Regulatory Department

Phone: 651-236-5842

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to H.B. Fuller Construction Products, Inc. from its suppliers, and because H.B. Fuller Construction Products, Inc. has no control over the conditions of handling and use, H.B. Fuller Construction Products, Inc. makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and H.B. Fuller Construction Products, Inc. assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Construction Products, Inc. products to comply with all applicable federal, state and local laws and regulations.