# SAFETY DATA SHEET

#### **SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION**

Manufacturer's name and address:



**ARDEX Engineered Cements** 400 Ardex Park Dr. Aliquippa, PA 15001 USA

Supplier's name and address:

Refer to Manufacturer

Information Telephone No. Website Address <b>24 Hr Emergency Telephone #</b> Product Identifier	: CHEM-TEL:	00 <u>dexamericas.com</u> 1-800-255-3924 OR 1-813- 60 ARDITEX LIQUI	• •
Chemical Name Chemical Formula` Molecular Weight Product Code Number	: N/Ap : N/Ap : N/Ap : 70040140	Chemical Family Trade Name/Synonyms Material Use Uses Advised Against	<ul> <li>Mixture</li> <li>ARDEX K 60 Liquid</li> <li>Rapid Setting Latex Smoothing and Leveling Compound Admix.</li> <li>No information available.</li> </ul>

## **SECTION 2 – HAZARDS IDENTIFICATION**

GHS Classification per 29 CFR 1910.1200 (OSHA HCS 2012) and HPR (WHMIS 2015)

Not classified as hazardous.

GHS Pictograms	
Signal Word	None.
Hazard Statements	None.
	None.
Safe Handling Instructions:	Avoid eye and skin contact. It is recommended to use safety glasses and gloves during handling. During installation process, adequate ventilation of the work area should be maintained. Although the adhesive is low VOC, persons who are sensitive to odors or chemicals should avoid the work area during installation. Keep container closed.
Hazards Not Otherwise Classified	
% With Unknown Acute Toxicity	None.
	Lip to 0.2% by weight of this product consists of ingradiants with unknown couto

Up to 92% by weight of this product consists of ingredients with unknown acute toxicity.

# **SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredients		CAS #	% (by weight)
No hazardous ingredients		N/Ap	100
	SECTION 4 – FIRST AID MEASURE	S	
General	: Call a doctor if you feel unwell.		

Inhalation

: Call a doctor if you feel unwell.

: If a worker develops breathing problems while working with this material, remove the worker to fresh air and keep at rest in a position comfortable for breathing.

ARDEX K 60 <sup>™</sup> ARDITEX LIQUID 06-Mar-2015	Page <b>2</b> of
Skin contact	: Wash with plenty of soap and water. If irritations or symptoms develop, seek medical attention/advice.
Eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
Ingestion	: Rinse mouth. Do NOT induce vomiting. Call a doctor/physician if you feel unwell.
Notes for Physician	: Treat symptomatically.
Signs and symptoms of short-te	rm (acute) exposure
Inhalation	: None known.
Skin	: Symptoms may include mild redness or itching.
Eyes	: Symptoms may include mild redness, itching, or pain.
Ingestion	: None known.
Effects of long-term (chronic) ex	posure
	: None known.
Indication of need for immediate n	nedical attention or special treatment
	: Difficulty breathing persists after removing the person to fresh air.
	Any exposure to the eye which causes irritation.
SE	CTION 5 – FIRE FIGHTING MEASURES
Suitable extinguishing media	: Carbon dioxide, dry chemical powder, alcohol foam or water spray.
Unsuitable extinguishing media	: Water jet may spread the burning material.
Hazardous combustion products	: Carbon monoxide, carbon dioxide, as well as other toxic vapors and gases which are common to thermal degradation of organic compounds.
Special fire-fighting procedures/ed	<b>juipment</b>
	: Firefighters should wear proper protective equipment and self-contained breathing

	: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame. After fires have been extinguished, carefully clean all equipment and surfaces exposed to fumes.		
Environmental precautions	: Do not allow material to enter drains or contaminate ground water system.		
Fire hazards/conditions of flammat	pility		
	Not flammable under normal conditions of use. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.		
Flammability classification (OSHA	29 CFR 1910.1200, WHMIS 2015)		
	: Not flammable.		
NFPA Rating	: 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe		

# SECTION 6 – ACCIDENTAL RELEASE MEASURES

Health: 1

Personal precautions	: Restrict access to area until completion of clean-up. All persons dealing with clean-up should wear the appropriate chemically protective equipment.
Protective equipment	: Refer to Section 8 on this Safety Data Sheet, EXPOSURE CONTROLS / PERSONAL PROTECTION, for additional information on acceptable personal protective equipment.
Emergency Procedures	: If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8002).
	US CERCLA Reportable quantity (RQ): None reported.
Methods and materials for containr	nent and cleaning up
	· Ventilate area of release. Stop spill or leak at source if safely possible. Contain

: Ventilate area of release. Stop spill or leak at source if safely possible. Contain product with inert absorbent material, preventing it from entering sewer lines or waterways. Gather up spilled material and place in suitable container for later

Flammability 1 Instability 0 Special Hazards:

None

	SECTION 7 – HANDLING AND STORAGE
Reference to other sections	: See Section 14 for disposal information.
Environmental precautions	: Do not allow product to enter drains or waterways. Do not allow material to contaminate ground water system.
Prohibited materials	: None known.
	disposal (see Section 13). Residual of product, while still wet, can be cleaned up with warm soapy water. Notify the appropriate authorities as required.

Safe handling procedures	: Wear suitable protective equipment during handling. (See Section 8.) Observe good hygiene standards. Use only with adequate ventilation. Wash thoroughly after handling. Avoid contact with eyes, skin, or clothing. Keep container tightly closed.
Storage requirements	: Store in a cool, dry, well-ventilated area. Store away from heat and open flame. Avoid storing in direct sunlight. Store in original container. Keep tightly closed when not in use. Do not reuse empty container without commercial cleaning or reconditioning.
Incompatible materials	: See Section 10.

**Special packaging materials** : Always keep in containers made of the same materials as the supply container.

# **SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION**

Permissible Exposure Limits		ure limits have be he components ir		for the produc	ct itself. Below a	are exposure
Ingredients		CAS #	ACGI	H TLV	OSH	IA PEL
			TWA	STEL	PEL	STEL
No hazardous ingredients		N/Ap	N/Ap	N/Ap	N/Ap	N/Ap
Engineering Controls	recomme	eral or local exha ended exposure l f any vapor gene	imits. Ventilat	ion should ef	fectively remov	
Personal Protection Equipment						
Eye / face protection	: Chemica	mical goggles or safety glasses, as appropriate for the job.				
Skin protection	: Wear gloves which are impervious to the material. Materials such as nitrile rubt or Viton (fluorocarbon rubber) are recommended.				s nitrile rubber	
Body protection		: Where extensive exposure to product is possible, use resistant coveralls, apron ar boots to prevent contact.				eralls, apron and
Respiratory protection	<ul> <li>Under normal conditions of use with adequate ventilation, respiratory protection should not be necessary. If work process generates excessive quantities of vapor or dust, or exposures in excess of any PEL, wear an appropriate organic vapor respirator.</li> </ul>				ntities of vapor	
Site safety equipment		: An eyewash station and safety shower should be made available in the immediate working area.				the immediate
General hygiene considerations	: Avoid contact with eyes, skin and clothing. Avoid breathing vapors/dust. Do not e drink or smoke when using this product. Upon completion of work, wash hands thoroughly. Remove soiled clothing and wash it thoroughly before reuse. Clean a equipment and clothing at end of each work shift.			wash hands		

## **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

Physical state	:	Liquid	Appearance	:	Milky white
Odor	:	Slightly sweet	Odor threshold	:	N/Av
рН	:	5.5 – 7.5	Specific gravity	:	1.01 – 1.03
Boiling point	:	>100°C (>212°F)	Coefficient of water/oil distribution	:	N/Av
Melting/Freezing point	:	N/Av	Solubility in water	:	Miscible
Vapor pressure (mm Hg @ 20°C / 68°F)	:	N/Av	Evaporation rate (n-Butyl acetate = 1)	:	N/Av
Vapor density (Air = 1)	:	N/Av	Volatiles (% by weight)	:	83 – 86% (includes water)

Explosion data: Sensitivity to mechanical impact / static discharge

: Not expected to be sensitive to mechanical impact or static discharge.

## SECTION 10 – REACTIVITY AND STABILITY INFORMATION

Reactivity	:	Not reactive.
Stability	:	Stable under the recommended storage and handling conditions prescribed.
Hazardous reactions	:	Hazardous polymerization does not occur.
Conditions to avoid	:	Extreme heat.
Materials to avoid and incompatabili	ty	
	:	Strong oxidizing agents.
Hazardous decomposition produc	ts	
		None known, refer to bazardous compustion products in Section 5

: None known, refer to hazardous combustion products in Section 5.

# SECTION 11 – TOXICOLOGICAL INFORMATION

Routes of exposure	: Inhalation: YES	Skin Absorption: NO	Skin and Eyes: Yes Ingestion: YES			
Symptoms of exposure	: See Section 4.					
Calculated Acute Toxicity Estim	ates for the Product					
Inhalation	: > 100 mg/L					
Oral	ral : > 10000 mg/kg					
Dermal	: > 10000 mg/kg					
Toxicological data	: See below for indivi	dual ingredient acute to	ticity data.			
	LC50 (4 hr)		LD50			
Ingredients	Inhalation, rat	Oral, rat	Dermal, rabbit			
No hazardous ingredients.	N/Av	N/Av	N/Av			
Skin corrosion or irritation Serious eye damage / eye irritat Respiratory or skin sensitization Germ cell mutagenicity Carcinogenic status Reproductive toxicity	n : None known. : None known.	porary irritation to eyes.	nic by IARC, ACGIH, NTP, and OSHA.			
Specific Target Organ Toxicity, Single Exposure						
	: None known.					
Specific Target Organ Toxicity,	Repeated Exposure					
	: None known.					
Aspiration hazard	Aspiration hazard : None known.					
Additional information : N/Av						

#### **SECTION 12 – ECOLOGICAL INFORMATION**

Environmental effects

: The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

Ecotoxicity	:	No data available.
Biodegradability	:	No data available.
Bioaccumulative potential	:	No data available.
Mobility in soil	:	No data available.
PBT and vPvB assessment	:	No data available.
Other adverse effects	:	No data available.

### SECTION 13 – DISPOSAL CONSIDERATION

Handling for disposal	:
Methods of disposal	:

Packaging

RCRA

: Handle waste according to recommendations in Section 7.

: You must test your waste using methods described in 40 CFR Part 261 to determine if it meets applicable definitions of hazardous wastes. Dispose in accordance with all applicable federal, state, provincial and local regulations. Contact your local, state, provincial or federal environmental agency for specific rules.

: Handle contaminated packaging in the same manner as the product.

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

# **SECTION 14 – TRANSPORTATION INFORMATION**

Regulatory Information	UN Number	Shipping Name	Class	Packing Group	Label
TDG	None	This product is not regulated according to Canadian TDG regulations.	None	None	None
TDG Additional Information	None				
49 CFR/DOT	None	This product is not regulated according to US DOT regulations.	None	None	None
49 CFR/DOT Additional Information	None				•

# **SECTION 15 – REGULATORY INFORMATION**

#### Canadian Information:

This product has been classified according to the hazard criteria of the Hazardous Products Regulations (HPR). This SDS contains all of the information required by the HPR.

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on either the Domestic Substances List (DSL) or the Non- Domestic Substances List (NDSL).

#### **US Federal Information:**

TSCA: All ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

CERCLA Reportable Quantity (RQ) (40 CFR 117.302): None reported.

SARA TITLE III: Sec. 302, Extremely Hazardous Substances, 40 CFR 355: No Extremely Hazardous Substances are present in this material.

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classification: Not Hazardous.

SARA TITLE III: Sec. 313, Toxic Chemicals Notification, 40 CFR 372: This product is not subject to SARA notification requirements, since it does not contain any Toxic Chemical constituents above *de minimus* concentrations.

#### U.S. State Right To Know Laws

California Proposition 65: WARNING: This product contains a chemical known to the State of California to cause cancer or reproductive harm.

Other State Right to Know Laws: Not applicable.

SECTION 16 – OTHER INFORMATION				
HMIS Rating	: * - Chronic Hazard 0 - Minimal 1 – Slight 2 – Moderate 3 – Serious 4 – Severe Health: 1 Flammability 1 Physical Hazard 0 PPE: Gloves, safety glasses			
Legend	<ul> <li>ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstract Services CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980</li> <li>CFR: Code of Federal Regulations DOT: Department of Transportation DSL: Domestic Substances List EPA: Environmental Protection Agency GHS: Globally Harmonized System HPR: Hazardous Products Regulations IARC: International Agency for Research on Cancer Inh: Inhalation N/Av: Not Available N/Ap: Not Available NIOSH: National Institute of Occupational Safety and Health NTP: National Institute of Occupational Safety and Health NTP: National Toxicology Program OSHA: Occupational Safety and Health Administration PEL: Permissible exposure limit RCRA: Resource Conservation and Recovery Act SARA: Superfund Amendments and Reauthorization Act STEL: Short Term Exposure Limit TDG: Canadian Transportation of Dangerous Goods Act &amp; Regulations TLV: Threshold Limit Values TSCA: Toxic Substance Control Act TWA: Time Weighted Average WHMIS: Workplace Hazardous Materials Identification System</li> </ul>			

#### **Disclaimer of Liability**

The Information presented herein is supplied as a guide to those who handle or use this product and has been prepared in good faith by technically knowledgeable personnel. It is not intended to be all-inclusive. The manner and conditions of use and handling may involve other and additional considerations. Safe work practices must be employed when working with any materials. It is important that the end user makes a determination regarding the adequacy of the safety procedures employed during the use of this product.

No warranty of any kind is given or implied. ARDEX Engineered Cements will not be liable for any damages, losses, injuries or consequential damages which may result from the use or reliance on any information contained herein.

Prepared By: ARDEX Engineered Cements 400 Ardex Park Drive Aliquippa, PA, U.S.A. 15001

(724) 203-5000 Visit our Website: http://www.ardexamericas.com

**Revision date:** 

: 06-Mar-2015

End of Document