In accordance with Hazardous Products Regulations (HPR) (SOR/2015-17)

FORBO SUSTAIN 1195 Revision Number 1 Revision Date 20-May-2019 Supersedes Date: 20-May-2019

# 1. Identification of the Substance/Preparation and of the Company/Undertaking

**Product identifier** 

Product Name FORBO SUSTAIN 1195

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Adhesives

Uses advised against No information available

Details of the supplier of the safety data sheet

**Responsible Party** 

Forbo Flooring Systems 3983 Nashua Dr., Unit 1 Mississauga, ON L4V 1P3 Canada Phone: +1 (800) 268-8108

### **Emergency telephone number**

Chemtrec: 1-800-424-9300

## 2. Hazards Identification

#### Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A

#### Label elements

#### Warning

# **Hazard statements**

Causes skin irritation
Causes serious eye irritation



Canada - EN Page 1/9

FORBO SUSTAIN 1195 Revision Number 1

evision Number 1 Supersedes Date: 20-May-2019

Revision Date 20-May-2019

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

#### **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

### Skin

IF ON SKIN: Wash with plenty of water and soap
If skin irritation occurs: Get medical advice/attention
Take off contaminated clothing and wash it before reuse

## **Precautionary Statements - Storage**

Not applicable

### **Precautionary Statements - Disposal**

Not applicable

Other information

Unknown acute toxicity 25 % of the mixture consists of ingredient(s) of unknown toxicity

## 3. Composition/information on Ingredients

#### Substance

Not applicable.

#### Mixture

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Glass, oxide, chemicals	65997-17-3	10 - 30	-	-
1,2-Propylene glycol	57-55-6	0.5 - 1.5	-	=
2-(Dimethylamino)ethanol	108-01-0	0.5 - 1.5	-	-

## 4. First Aid Measures

### **FIRST AID**

**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue

Canada - EN Page 2/9

Revision Number 1 Supersedes Date: 20-May-2019

rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

Revision Date 20-May-2019

**Skin contact** Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms Irritating to skin. May cause redness and tearing of the eyes.

Indication of any immediate medical attention and special treatment needed

5. Fire-Fighting Measures

**FORBO SUSTAIN 1195** 

Suitable extinguishing media Dry chemical, CO2 or water spray. Foam. Use extinguishing measures that are appropriate

to local circumstances and the surrounding environment.

Unsuitable extinguishing media Full water jet.

Specific hazards arising from the

chemical

No information available.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

**Explosion Data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

## 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

**Personal precautions**Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Do not touch

damaged packages or spilled material.

Other information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. See Section 12 for additional Ecological

Information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth

Canada - EN Page 3/9

Revision Date 20-May-2019 **Revision Number** 1 Supersedes Date: 20-May-2019

or other noncombustible absorbent material. Take up mechanically, placing in appropriate

containers for disposal. Clean contaminated surface thoroughly.

Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards

## 7. Handling and Storage

**FORBO SUSTAIN 1195** 

### Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Handle in accordance with good industrial

hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Take off contaminated

clothing and wash before reuse.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing.

Section 10: STABILITY AND REACTIVITY Reference to other sections

## 8. Exposure Controls/Personal Protection

### Control parameters

**Exposure Limits** 

Chemical name	Alberta	British Columbia	Ontario TWA	Quebec
Glass, oxide, chemicals	TWA: 5 mg/m <sup>3</sup>	TWA: 1 fibre/cm3	TWA: 1 fibre/cm3	TWA: 10 mg/m <sup>3</sup>
65997-17-3	TWA: 1 fibre/cm3	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	
1,2-Propylene glycol			TWA: 10 mg/m <sup>3</sup>	
57-55-6			TWA: 50 ppm	
			TWA: 155 mg/m <sup>3</sup>	
2-(Dimethylamino)ethano			TWA: 3 ppm	
1			TWA: 11 mg/m <sup>3</sup>	
108-01-0			STEL: 6 ppm	
			STEL: 22 mg/m <sup>3</sup>	

#### Appropriate engineering controls

Showers **Engineering controls** 

> Eyewash stations Ventilation systems.

### Individual protection measures, such as personal protective equipment

If splashes are likely to occur, wear safety glasses with side-shields. Eye/face protection

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

No protective equipment is needed under normal use conditions. If exposure limits are Respiratory protection

exceeded or irritation is experienced, ventilation and evacuation may be required.

Canada - EN Page 4/9

Revision Date 20-May-2019 **Revision Number** 1 Supersedes Date: 20-May-2019

General hygiene considerations Wear suitable gloves and eve/face protection. Handle in accordance with good industrial

hygiene and safety practice. Do not eat, drink or smoke when using this product, Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Take off contaminated clothing and wash it before reuse. Regular cleaning of equipment, work area and clothing is

recommended.

## 9. Physical and Chemical Properties

Information on basic physical and chemical properties

**Physical State** Liquid **Appearance** Liquid Color Light green Odor Slight

No information available **Odor Threshold** 

Remarks • Method Property Values

No data available pН Melting point / freezing point No data available 100 °C / 212 °F Boiling point / boiling range Flash Point > 100 °C / 212 °F

**Evaporation Rate** 1.0

Flammability (solid, gas) Not applicable for liquids .

Flammability Limit in Air

**FORBO SUSTAIN 1195** 

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

**Vapor Pressure** No data available **Vapor Density** No data available **Relative Density** No data available Water Solubility Dispersible No data available **Solubility in Other Solvents** Partition coefficient No data available No data available **Autoignition Temperature Decomposition Temperature** No data available **Kinematic Viscosity** No data available No data available **Dynamic Viscosity** 

**Explosive properties** No information available. **Oxidizing properties** No information available.

Other information

**Softening Point** No information available **Molecular Weight** No information available No information available **Density Bulk Density** No information available Solid content (%) No information available

**VOC** (volatile organic compound) No information available

## 10. Stability and Reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

None under normal processing. Possibility of hazardous reactions

Canada - EN Page 5/9

FORBO SUSTAIN 1195
Revision Number 1 Revision Date 20-May-2019
Supersedes Date: 20-May-2019

Conditions to avoid Keep from freezing.

**Incompatible materials** Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

## 11. Toxicological Information

### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Based on available data, the classification criteria are not met.

**Eye contact** Irritating to eyes. Causes serious eye irritation.

**Skin contact** Causes skin irritation.

**Ingestion** Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Redness. May cause redness and tearing of the eyes.

Numerical measures of toxicity

**Acute Toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (dermal) 88,668.40 mg/kg ATEmix (inhalation-dust/mist) 49.10 mg/l ATEmix (inhalation-vapor) 294.10 mg/l

## Unknown acute toxicity

25 % of the mixture consists of ingredient(s) of unknown toxicity

25 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

25 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

- 1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Glass, oxide, chemicals 65997-17-3	>2000 mg/Kg Rat	-	LC50 > 0.691 mg/l (Rat) 4-Hr
1,2-Propylene glycol 57-55-6	= 20 g/kg(Rat)	LD50 > 2000 mg/kg (Rabbit)	LC50 (4h) >44.9 mg/L (Rat)
2-(Dimethylamino)ethanol 108-01-0	= 1803 mg/kg(Rat)	= 1220 mg/kg (Rabbit)= 1370 µL/kg (Rabbit)	= 1641 ppm (Rat) 4 h

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye irritation.

**Respiratory or skin sensitization** No information available.

Canada - EN Page 6/9

FORBO SUSTAIN 1195

Revision Number 1 Supersedes Date: 20-May-2019

Company 2019

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Glass, oxide, chemicals	-	Group 3	-	-
65997-17-3		_		

### IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

Target Organ Effects Eyes, Skin.

**Subchronic Toxicity** No information available.

**Neurological Effects** No information available.

Other Adverse Effects No information available.

**Aspiration hazard** No information available.

## 12. Ecological Information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			Microorganisms	
1,2-Propylene glycol	EC50: =19000mg/L (96h,	LC50: =710mg/L (96h,	-	EC50: >10000mg/L (24h,
57-55-6	Pseudokirchneriella	Pimephales promelas)		Daphnia magna) EC50:
	subcapitata)	LC50: =51600mg/L (96h,		>1000mg/L (48h,
		Oncorhynchus mykiss)		Daphnia magna)
		LC50: 41 - 47mL/L (96h,		
		Oncorhynchus mykiss)		
		LC50: =51400mg/L (96h,		
		Pimephales promelas)		
2-(Dimethylamino)ethano	EC50: =35mg/L (72h,	LC50: =81mg/L (96h,	-	EC50: =98.77mg/L (48h,
`   1	Desmodesmus	Pimephales promelas)		Daphnia magna)
108-01-0	subspicatus)			]

Persistence and degradability No information available.

**Bioaccumulative potential** No information available.

Chemical name	Partition coefficient
1,2-Propylene glycol	-1.07
57-55-6	
2-(Dimethylamino)ethanol	-0.55
108-01-0	

Canada - EN Page 7/9

FORBO SUSTAIN 1195

Revision Number 1 Supersedes Date: 20-May-2019

Supersedes Date: 20-May-2019

Mobility in soil No information available

Other Adverse Effects No information available.

## 13. Disposal Considerations

#### Waste treatment methods

Waste from residues/unused

products

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations.

**Contaminated packaging** Do not reuse empty containers.

## 14. Transport Information

Note: Keep from freezing

TDG Not regulatedIATA Not regulatedIMDG Not regulated

## 15. Regulatory Information

### **NPRI - National Pollutant Release Inventory**

No component is listed on the NPRI above the threshold

## **European Union**

#### Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation

## **SVHC: Substances of Very High Concern for Authorization:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### **International Inventories**

TSCA	Listed
DSL	Not Listed

## Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

## 16. Other information, including date of preparation of the last revision

Canada - EN Page 8/9

Revision Date 20-May-2019 **Revision Number** 1 Supersedes Date: 20-May-2019

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA (time-weighted average) STEL (Short Term Exposure Limit) TWA

Ceiling Maximum limit value Skin designation

**Revision Date** 20-May-2019

**Revision note** No information available.

#### Disclaimer

**FORBO SUSTAIN 1195** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Canada - EN Page 9/9