Safety Data Sheet PLANIPREP ET PART B

Safety Data Sheet dated: 06/16/2021 - version 8 Date of first edition: 05/26/2015



1. IDENTIFICATION

Product identifier

Mixture identification:

Trade name: PLANIPREP ET PART B Trade code: 9024356

Recommended use of the chemical and restrictions on use

Recommended use: Hardener for epoxy products

Restrictions on use: Not available

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive

33442 - Deerfield Beach - FL - USA

Phone: 954-246-8888

Responsible: Not available

Emergency 24 hour numbers:

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887 Emergency Transport CANUTEC (Canada) 1-613-996-6666

2. HAZARD(S) IDENTIFICATION



Classification of the chemical

Acute Tox. 4	Harmful if swallowed.
Skin Corr. 1B	Causes severe skin burns and eye damage.
Eye Dam. 1	Causes serious eye damage.
Skin Sens. 1A	May cause an allergic skin reaction.
Repr. 1B	May damage fertility. May damage the unborn child.
STOT RE 2	May cause damage to organs through prolonged or repeated exposure if swallowed.
Aquatic Chronic 3	Harmful to aquatic life with long lasting effects.

Label elements

Pictograms and Signal Words



Hazard statements:

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H360FD	May damage fertility. May damage the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure if swallowed.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements:

P201	Obtain special instructions before use.
	•
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe mist/vapours/spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.

P272	Contaminated work clothing should not be allowed out of the workplace.		
P273	Avoid release to the environment.		
P280	Wear protective gloves/protective clothing/eye protection/face protection.		
P301+P312	IF SWALLOWED: Call a POISON CENTER if you feel unwell.		
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.		
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.		
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P308+P313	IF exposed or concerned: Get medical advice/attention.		
P310	Immediately call a POISON CENTER.		
P321	Specific treatment (see supplementary instructions on this label)		
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.		
P362+P364	Take off contaminated clothing and wash it before reuse.		
P405	Store locked up.		
P501	Dispose of contents/container in accordance with applicable regulations.		
Ingredient(s) with unknown acute toxicity:			

None

Hazards not otherwise classified identified during the classification process:

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Not available

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

List of components

Concentration (% w/w)	Name	Ident. Numb.	Classification	Registration Number
25-50 %	Isophorone diamine	CAS:2855-13-2	Skin Corr. 1B, H314; Skin Sens. 1, H317; Aquatic Chronic 3, H412; Acute Tox. 4, H302; Acute Tox. 4, H312	
20-25 %	Benzyl alcohol	CAS:100-51-6	Acute Tox. 4, H302; Acute Tox. 4, H332; Eye Irrit. 2A, H319	
10-20 %	2,4,6-Tri(dimethylaminomethyl)pheno	I CAS:90-72-2	Skin Corr. 1B, H314; Skin Sens. 1A, H317; Aquatic Chronic 3, H412	2
5-10 %	Bisphenol A epoxy resin	CAS:25085-99-8	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Aquatic Chronic 2, H411; Skin Sens. 1B, H317	
5-10 %	Triethylene tetramine	CAS:112-24-3	Skin Sens. 1, H317; Aquatic Chronic 3, H412; Acute Tox. 4, H312; Acute Tox. 4, H302; Skin Corr. 1B, H314	
2.5-5 %	Copolymer of Benzenamine and Formaldehyde, Hydrogenated	CAS:135108-88-2	Acute Tox. 4, H302; STOT RE 2, H373; Aquatic Chronic 3, H412; Skin Corr. 1C, H314; Skin Sens. 1, H317	
2.5-5 %	Aminoethylpiperazine	CAS:140-31-8	Acute Tox. 3, H311; Skin Corr. 1B, H314; Skin Sens. 1, H317; Eye Dam. 1, H318; Repr. 1B, H360	
1-2.5 %	Bis[(dimethylamino)methyl]phenol	CAS:71074-89-0	Skin Corr. 1B, H314	

4. FIRST AID MEASURES Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Obtain medical attention if skin related symptoms persist.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Give nothing to eat or drink.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

(see paragraph 4.1)

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: Not available

Explosive properties: Not available

Oxidizing properties: Not available

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand Retain contaminated washing water and dispose it.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Production Name

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Storage temperature: Not available

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

List of components with OEL value

Component	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour Note
Benzyl alcohol	MAK	GERMANY		22	5			
	MAK	SWITZERLAND)	22	5			

Appropriate engineering controls: Not available

Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min.

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

Use adequate protective respiratory equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

	Physical state: Liquid
	Appearance and colour: liquid Amber
	Odour: Like: Amines
	Odour threshold: No data available
	pH: No data available
	Melting point / freezing point: No data available
	Initial boiling point and boiling range: No data available
	Flash point: 94 °C (201 °F)
	Evaporation rate: No data available
	Upper/lower flammability or explosive limits: No data available
	Vapour density: No data available
	Vapour pressure: No data available
	Relative density: 1.00 g/cm3
	Solubility in water: Insoluble
	Solubility in oil: No data available
	Partition coefficient (n-octanol/water): No data available
	Auto-ignition temperature: No data available
	Decomposition temperature: No data available
	Viscosity: No data available
	Explosive properties: No data available
	Oxidizing properties: No data available
	Solid/gas flammability: No data available
I	nformation

Substance Groups relevant properties No data available Miscibility: No data available

Other i

Fat Solubility: No data available Conductivity: No data available

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions

Chemical stability

Data not available.

Possibility of hazardous reactions

None.

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological information on main components of the mixture:

Isophorone diamine	a) acute toxicity	LD50 Oral Rat = 1030 mg/kg
		LD50 Skin Rat > 2000 mg/kg
		LD50 Oral Rat = 1030 mg/kg
Benzyl alcohol	a) acute toxicity	LD50 Skin Rabbit = 2000,00000 mg/kg
		LC50 Inhalation Rat = 8,80000 mg/l 4h
		LD50 Oral Rat = 1230 mg/kg
		LD50 Skin Rabbit = 2 g/kg
		LD50 Oral Rat = 1230 mg/kg
	.	1252 014 2 4 4000 //
2,4,6- Tri(dimethylaminomethyl)	a) acute toxicity	LD50 Skin Rat = 1280 mg/kg
phenol		
		LD50 Oral Rat = 1000 mg/kg
		LD50 Skin Rat = 1280 mg/kg
		LD50 Oral Rat = 1200 mg/kg
Triethylene tetramine	a) acute toxicity	LD50 Skin Rabbit = 550 mg/kg
		LD50 Oral Rat = 2500 mg/kg
		LD50 Skin Rabbit = 550 mg/kg
		LD50 Oral Rat = 2500 mg/kg
Aminoethylpiperazine	a) acute toxicity	LD50 Skin Rabbit = 880 µL/kg
Ammoethyipiperazine	a) acute toxicity	LD50 Oral Rat = 2140 mg/kg
		LD50 Oral Rat = 2140 µL/kg
		LD50 Skin Rabbit = 880 µL/kg

If not differently specified, the information required in the regulation and listed below must be considered as N.A.

a) acute toxicity

b) skin corrosion/irritation

c) serious eye damage/irritation

d) respiratory or skin sensitisation

e) germ cell mutagenicity

f) carcinogenicity

g) reproductive toxicity

h) STOT-single exposure

Toxicological kinetics, metabolism and distribution information

i) STOT-repeated exposure

j) aspiration hazard

Substance(s) listed on the IARC Monographs:

None

Substance(s) listed as OSHA Carcinogen(s):

None

Substance(s) listed as NIOSH Carcinogen(s):

None

Substance(s) listed on the NTP report on Carcinogens:

None

12. ECOLOGICAL INFORMATION

Toxicity

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

List of components with eco-toxicological properties

Component	Ident. Numb.	Ecotox Infos
Isophorone diamine	CAS: 2855-13-2	a) Aquatic acute toxicity: EC50 Daphnia Daphnia magna 14,60000 mg/L 48h EPA
		a) Aquatic acute toxicity : EC50 Daphnia magna = $42,00000 \text{ mg/L} - 24 \text{hr}$
		a) Aquatic acute toxicity: EC50 Algae Desmodesmus subspicatus = 37 mg/L 72h IUCLID
		a) Aquatic acute toxicity : EC50 Algae idus = 110,00000 mg/L 96h
Benzyl alcohol	CAS: 100-51-6	a) Aquatic acute toxicity: LC50 Fish Pimephales promelas = 460 mg/L 96h EPA
		a) Aquatic acute toxicity: LC50 Fish Lepomis macrochirus = 10 mg/L 96h EPA
		a) Aquatic acute toxicity: EC50 Daphnia water flea = 23 mg/L 48h
Triethylene tetramine	CAS: 112-24-3	a) Aquatic acute toxicity: LC50 Fish Poecilia reticulata = 570 mg/L 96h IUCLID
		a) Aquatic acute toxicity: LC50 Fish Pimephales promelas = 495 mg/L 96h IUCLID
		a) Aquatic acute toxicity: EC50 Algae Desmodesmus subspicatus = 2,50000 mg/L 72h IUCLID
		a) Aquatic acute toxicity: EC50 Algae Pseudokirchneriella subcapitata = 20 mg/L 72h IUCLID
		a) Aquatic acute toxicity: EC50 Algae Pseudokirchneriella subcapitata = 3,70000 mg/L 96h EPA
		a) Aquatic acute toxicity: EC50 Daphnia Daphnia magna = 31,1 mg/L 48h IUCLID
Copolymer of Benzenamine and Formaldehyde, Hydrogenated	CAS: 135108-88-2	a) Aquatic acute toxicity : LC50 Fish Poecilia reticulata = 63 mg/L 96h ECHA
Aminoethylpiperazine	CAS: 140-31-8	a) Aquatic acute toxicity: LC50 Fish Pimephales promelas 1950 mg/L 96h EPA
		a) Aquatic acute toxicity : LC50 Fish Poecilia reticulata > 1000 mg/L 96h IUCLID
		a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss >= 100 mg/L 96h IUCLID

Print date

a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna = 32 mg/L 48h IUCLID

a) Aquatic acute toxicity : EC50 Algae Pseudokirchneriella subcapitata = 495 mg/L 72h IUCLID

Persistence and degradability

Not available

Bioaccumulative potential

Not available

Mobility in soil

Not available

Other adverse effects

Not available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

14. TRANSPORT INFORMATION

UN number

ADR-UN number: 2735 DOT-UN Number: UN2735 IATA-Un number: 2735 IMDG-Un number: 2735

UN proper shipping name

ADR-Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. (Isophorone diamine - 2,4,6-Tri(dimethylaminomethyl)phenol) DOT-Proper Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. (Isophorone diamine - 2,4,6-Tri(dimethylaminomethyl)phenol) IATA-Technical name: AMINES, LIQUID, CORROSIVE, N.O.S. (Isophorone diamine - 2,4,6-Tri(dimethylaminomethyl)phenol) IMDG-Technical name: AMINES, LIQUID, CORROSIVE, N.O.S. (Isophorone diamine - 2,4,6-Tri(dimethylaminomethyl)phenol)

Transport hazard class(es)

ADR-Class: 8

DOT-Hazard Class: 8

IATA-Class: 8

IMDG-Class: 8

Packing group

ADR-Packing Group: II

DOT-Packing group: II

IATA-Packing group: II

IMDG-Packing group: II

Environmental hazards

Marine pollutant: No

Environmental Pollutant: Not available

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not available Special precautions Department of Transportation (DOT): DOT-Special Provision(s): B2, IB2, T11, TP1, TP27 DOT-Label(s): 8 DOT-Symbol: N/A DOT-Cargo Aircraft: N/A DOT-Passenger Aircraft: N/A DOT-Bulk: N/A DOT-Non-Bulk: N/A Road and Rail (ADR-RID) : ADR-Label: 8 ADR-Hazard identification number: 80 ADR-Transport category (Tunnel restriction code): 2 (E) Air (IATA): IATA-Passenger Aircraft: 851 IATA-Cargo Aircraft: 855 IATA-Label: 8 IATA-Subsidiary hazards: -IATA-Erg: 8L IATA-Special Provisioning: A3 A803 Sea (IMDG) : IMDG-Stowage Code: Category A IMDG-Stowage Note: SG35 SGG18 IMDG-Subsidiary hazards: -IMDG-Special Provisioning: 274 IMDG-Page: N/A IMDG-Label: N/A IMDG-EMS: F-A, S-B IMDG-MFAG: N/A **15. REGULATORY INFORMATION USA - Federal regulations TSCA - Toxic Substances Control Act TSCA** inventory: All the components are listed on the TSCA inventory **TSCA listed substances:** Isophorone diamine is listed in TSCA Section 8b Benzyl alcohol is listed in TSCA Section 8b 2,4,6is listed in TSCA Section 8b Tri(dimethylaminomethyl)phenol is listed in TSCA Section 8b Bisphenol A epoxy resin Triethylene tetramine is listed in TSCA Section 8b

Copolymer of Benzenamine and is listed in TSCA Section 8b Formaldehyde, Hydrogenated

Aminoethylpiperazine

is listed in TSCA Section 8b

SARA - Superfund Amendments and Reauthorization Act Section 302 - Extremely Hazardous Substances:

No substances listed

Section 304 - Hazardous substances:

No substances listed

Section 313 - Toxic chemical list:

No substances listed

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act Substance(s) listed under CERCLA:

CAA - Clean Air Act

CAA listed substances:

Benzyl alcohol

CWA - Clean Water Act

CWA listed substances:

No substances listed

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

No substances listed

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

is listed in CAA Section 112(b) - HON

Benzyl alcohol

Triethylene tetramine

Aminoethylpiperazine

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

Benzyl alcohol

Triethylene tetramine

Aminoethylpiperazine

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

Isophorone diamine

Triethylene tetramine

Aminoethylpiperazine

Canada - Federal regulations

DSL - Domestic Substances List

DSL Inventory:

All the substances are listed in the DSL.

NDSL - Non Domestic Substances List

NDSL Inventory:

No substances listed

NPRI - National Pollutant Release Inventory

Substances listed in NPRI:

No substances listed

16. OTHER INFORMATION

Safety Data Sheet dated: 6/16/2021 - version 8

Additional classification information

NFPA Health: 3 = Serious

NFPA Flammability: 1 = Combustible if heated NFPA Reactivity: 0 = Minimal

NFPA Special Risk: Not available

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

PLANIPREP ET PART B

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended. This SDS cancels and replaces any preceding release.

Code	Description				
H302	Harmful if swallowed	Harmful if swallowed.			
H311	Toxic in contact with	Toxic in contact with skin.			
H312	Harmful in contact w	Harmful in contact with skin.			
H314	Causes severe skin b	Causes severe skin burns and eye damage.			
Print date	03/30/2022	Production Name			



- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H360 May damage fertility or the unborn child.
- H360FD May damage fertility. May damage the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H373 May cause damage to organs through prolonged or repeated exposure if swallowed.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

- ICAO: International Civil Aviation Organization.
- ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

WGK: German Water Hazard Class.

KSt: Explosion coefficient.

Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

- 6. ACCIDENTAL RELEASE MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 14. TRANSPORT INFORMATION
- 16. OTHER INFORMATION